Brompton

DESIGN HANDBOOK

Last Updated 12 July 2018. Applicable to Brompton. Version 10.




24 Anchor Place Prahran, VIC, 3181 Telephone: 03 9827 8830 www.wolfdene.com.au



Contents

1.0 Overview + ASSESSMENT 1.1 Overview 1.2 Utilising the Design Handbook	6
1.3 Design Assessment Process 2.0 ENERGY + SUSTAINABILITY	7
2.1 Site Orientation + Ventilation 2.2 Energy and Material Efficiency 2.3 Healthy Homes	10 10 11
3.0 SITE PLANNING 3.1 Setbacks 3.2 Site Coverage	14 15
4.0 HOME DESIGN 4.1 Facade 4.2 Roof Form 4.3 External Materials, Finishes & Colour Palettes 4.4 Entry 4.5 Garage	18 19 20 22 23
5.0 CORNER LOTS 5.1 Corner Lot Treatment 5.2 Corner Lot Fencing	2 <i>6</i> 27
6.0 LANDSCAPE 6.1 Driveway 6.2 Letterbox 6.3 Fencing 6.4 External Structures & Services 6.5 Site Management & Maintenance 6.6 Front Landscaping	30 31 32 33 34 35
7.0 DESIGN ASSESSMENT SUBMISSION	
Design Assessment Application Form Design Assessment Checklist	43 45

Brompton Design Handbook



1 DESIGN ELEMENTS OVERVIEW + ASSESSMENT



1.0 Overview and Assessment

1.10verview

The 'Design Handbook' has been produced by the Wolfdene Design Review Committee (WDRC) to protect the investment of our purchasers and achieve the optimum image for the project.

Architects, builders and landscapers play an essential role in bringing Wolfdene's developments to life and helping us realise our community vision.

The advice provided to purchasers and the choices they make will define the character of the streets and contribute to the legacy of the neighbourhood as a whole.

The information contained in this document has been developed to ensure all stakeholders act in the best interests of the community during the design and build process.

1.2 Utilising the Design Handbook

The Brompton Design Handbook contains specific requirements and recommendations to assist with the design of your home and outdoor areas.

Each category within the handbook is divided into three sections - Design Intent, Design Standards and Recommendations.

The Design Intent is at the beginning of each section and outlines the purpose of the Design Standards.

Extending from the intent are a number of mandatory requirements (Design Standards) that support the vision for this neighbourhood. These Standards must be incorporated into the design of your home in order to attain approval from the WDRC.

Helpful building and landscape tips in the form of Recommendations then make up the third element. An example has been provided below.

DESIGN INTENT

To help owners understand the purpose of each design element, we have provided a brief description. This should be used as a general guide for the design of your new home and landscaping.

DESIGN STANDARDS

1.1.1

These are mandatory design and construction controls which must be complied with in order to receive approval from WDRC - prior to commencing construction of your home.

RECOMMENDATIONS

 These are guides to design and construction that have been developed by our design team to help you achieve the most comfortable, attractive and sustainable housing and landscape solutions.

The WDRC is here to assist you and your builder through the Design Standard requirements.

We recommend that during the initial stages of design that you contact Wolfdene Design Review Committee to discuss the Design Handbook.

1.3 Design Assessment Process

Before commencing construction, the WDRC will assess building and landscaping plans to ensure that they conform to the Design Standards identified in the Brompton Design Handbook.

The Design Approval Checklist (see section 7 of this Handbook) must be submitted along with floorplans and elevations to the WDRC. If the design complies, you will be notified by the WDRC of your application approval.

However, if an application is unsuccessful, the WDRC will provide you with guidance to refine and amend the design. Once this has been completed you will be required to re-submit your application and design.

Upon receiving approval from the WDRC, you are responsible for then obtaining building approval from the Local Council / independent Building Surveyor and/or any other governing authority.


Prior to construction, it will be the purchasers responsibility to ensure that the submitted documents comply with all relevant controls, such as:


- Restrictions on Title found on the Plan of Subdivision;
- Memorandum of Common Provisions (MCP):
- Contracts of Sale:
- Relevant Buildings Code/s;
- Clause 54 of the Victorian Planning Scheme and all other planning and authority requirements; and
- The Design Handbook.

In the event of any conflict arising between the Plan of Subdivision, the Memorandum of Common Provisions, the Special Conditions within the Contract of Sale or the Design Handbook, the ranking in priority will be as follows:

- 1) Plan of Subdivision:
- 2) Memorandum of Common Provisions;
- 3) Special Conditions within the Contract of Sale; and
- 4) Design Handbook.

The relevant Plan of Subdivision indicates lots that are subject to the Small Lot Housing Code. These lots are subject to these Design Guidelines in addition to the requirements of the Small Lot Housing Code. Where there is conflict between the requirements of these Design Guidelines and the Small Lot Housing Code, the Small Lot Housing Code will take precedence.





2 DESIGN ELEMENTS ENERGY + SUSTAINABILTY





2.0 Energy + Sustainability

2.1 Site Orientation + Ventilation

DESIGN INTENT

To reduce the amount of greenhouse gas emissions generated by heating and cooling through ensuring that your home is correctly sited and orientated, maximising the benefits of solar access.

The correct location of your home on the lot will provide many advantages such as:

- Energy efficient designs that will lead to reduced resource consumption and therefore cost savings on your energy bills;
- Maximising quality solar access to external/internal living areas and private open space; and
- Maximising solar access during winter months and minimising solar access during the summer months.

DESIGN STANDARDS

- 2.1.1 Orientate your home to capture prevailing breezes and utilise potential cross ventilation and passive cooling in the summer months.

 Demonstrate this on your plans.
- Orientate your home to provide best solar access.
 Ensure your home and associated outdoor
 spaces are positioned on the lot in a manner that
 will enhance solar amenity of the primary living
 areas, both internal and external.
 Demonstrate this on your plans.

RECOMMENDATIONS

- Provide natural cross ventilation by strategically placing windows to encourage the flow of breezes through the full extent of the room and home;
- Locate your living areas to maximise the solar aspect of your property;
- Install insect screens and door catches to enhance ventilation and insulation; and
- It is encouraged that your home design goes beyond the requirements necessary to comply with the energy efficiency rating standards. For more information & tips please visit www.yourhome.gov.au or www.livingvictoria.vic.gov.au.

2.2 Energy and Material Efficiency

DESIGN INTENT

To maximise the use of sustainable materials and appliances that contribute to thermal efficiency, and to incorporate energy efficient appliances and fixtures in your home.

DESIG	ON STANDARDS
2.2.1	Your home must achieve a minimum 6 star energy efficiency rating as legislated by the Building Code of Australia.
2.2.2	You must install a solar generated hot water system (gas or electric boosted), or a heat pump.
2.2.3	Water efficient fixtures must be installed in your home. At a minimum, this must include: • shower heads that use ≤6 litres per minute; • taps to bathrooms, kitchen and laundry that use ≤6 litres per minute; and • dishwashers (where installed) to have a water consumption of ≤14 litres per use.
2.2.4	All appliances must be energy efficient. This should include at a minimum: • dishwashers with an energy consumption of ≤245kWh per annum; and • air conditioning systems with a COP* of ≥3.20 and EER** of ≥3.00.
2.2.5	Thorough use of draught seals are to be used throughout your home in order to draught-proof and reduce energy consumption.

NOTE:

- All fixtures, materials and appliances with their associated energy/water ratings must be submitted to the WDRC for approval;
- You must also submit an Energy Assessment of your home as part of your application; and
- Applications will not be assessed without the above.

RECOMMENDATIONS

 There are a range of energy monitoring products available to enable you to effectively understand, control and reduce the use of electrical energy. Smart sockets, intelligent intra-red AC controllers and showertimers are encouraged in your home.

^{*}COP (Coefficient of Performance) - a ratio of heating or cooling provided to work required. Higher COP's equate to lower operating costs.

^{**}EER (Energy Efficiency Ratio) - is the ratio of the cooling capacity (in Btu per hour) to the input (in watts). The higher the EER rating, the more efficient the air conditioner.



2.3 Healthy Homes

DESIGN INTENT

To maximise the use of low toxicity products and to eliminate harmful chemicals from your home.

DESIGN STANDARDS

Your home must include at least two of the following options:

- Low emission paints are to be ≥95% of internal and external painted surfaces;
- Use low emission sealants on ≥95% of internal and external surfaces;
- Use low emission adhesives on ≥95% of internal and external surfaces; and/or
- Use low emission floor coverings on ≥95% indoor covered floors.


It is encouraged to take up all four low emission options within the construction your home.

NOTE:

2.3.1

 Products used must be noted on your plans or a separate schedule and submitted to the WDRC for approval.

Brompton Design Handbook



3 DESIGN ELEMENTS SITE PLANNING



3.0 Site Planning

3.1 Setbacks

DESIGN INTENT

Setbacks are essential to ensure your home appropriately responds to its surrounds. Adherence to setbacks contributes to the visual appearance and quality of the streetscape and your neighbourhood.

DESIGN STANDARDS

Ensure that your secluded private open space meets the space and location requirements according to Clause 54 of the Victorian Planning Provisions.

FRONT SETBACK

- 3.1.2 A minimum of 4.0m (unless otherwise agreed by Council) and a maximum of 5.5m from the street.
- Porches, verandahs and porticos less than 3.6m in height above natural ground level can encroach into the minimum front setback by up to 2.5m.

SIDE SETBACK

All side setbacks must comply with Clause 54 3.1.4 of the Victorian Planning Provisions and as indicated on the building envelope plans.

WALL ON BOUNDARY

3.1.5 Homes and garages may be built on the boundary in compliance with Clause 54 of the Victorian Planning Provisions and as indicated on the building envelope plans.

REAR SETBACK

A minimum of 1.0m from the rear boundary 3.1.6 unless indicated otherwise on the building envelope plans.

GARAGE SETBACK

Garages must be setback at least 5.5m from 3.1.7 primary property boundary and additionally, a minimum of 0.84m behind the front building line.

NOTE:

All dwelling setbacks must comply with Clause 54 (Victoria Planning Provisions, Particular Provisions) of the Victorian Planning Scheme (http://planningschemes.dpcd.vic.gov.au/) and any other governing authority/Council requirements.

Any lots identified as Small Lot Housing Code must comply with relevant requirements.

RECOMMENDATIONS

 Planting within setbacks can be used to provide additional privacy to your home and outdoor living spaces.



3.2 Site Coverage

DESIGN INTENT

Site coverage controls ensure that dwellings are in proportion with lot sizes and minimise overshadowing and overlooking to adjoining properties.


DESIGN STANDARDS 3.2.1 Total site coverage must not exceed 60%. Dwellings on lots 300-450m² must have a 3.2.2 minimum floor area of 100m². Dwellings on lots 451-600m² must have a 3.2.3 minimum floor area of 140m². Dwellings on lots exceeding 601m² must have a 3.2.4 minimum floor area of 165m². Impervious materials must not cover more than 3.2.5 80% of the lot. All dwelling heights must comply with the requirements of Clause 54 of the Victorian 3.2.6 Planning Scheme (http://planningschemes. dpcd.vic.gov.au/) as well as any other governing authority requirements.

NOTE:

Site coverage does not include unroofed decks, unroofed pergolas, unroofed verandahs, swimming pools or eaves, fascias and gutters with a total width of 500mm or less.

RECOMMENDATIONS

• Choose an appropriate sized lot and home that suits your lifestyle needs.



4 DESIGN ELEMENTS HOME DESIGN





4.0 Home Design

4.1 Facade

DESIGN INTENT

Maintaining a consistent streetscape is important to ensure the character of the neighbourhood is protected. A contemporary architectural approach to the design of your home will achieve this consistency.

DESIGN STANDARDS	
4.1.1	To avoid repetition within the streetscape, homes with similar facades are not to be built within three lots of each other (applicable for both sides of the street). WDRC will assess each submission against any existing or recently approved homes.
4.1.2	Homes must be designed to address the street and provide windows to habitable rooms that overlook the street.
4.1.3	Your home must be contemporary in style and must not include external period decorative elements or features.
4.1.4	Meter boxes must not be located on front facade.
4.1.5	External windows and doors must not contain leadlight or stained glass features.
4.1.6	Security doors are permitted but must be a plain mesh screen. Decorative security doors will not be approved.
4.1.7	Roller shutters will not be permitted to windows.
4.1.8	The materials, colours and finish of your facade, door and window frames must adhere with all requirements of section 4.3 of this Design Handbook.

4.1.1



NOTE:

Provision 4.1.1 will not apply to integrated housing developments, terrace allotments less than 300m², or allotments as nominated by the Developer.

In the event of two applications request the same design, approval will be granted to the first application received.

Period reproduction styles and mixture of styles for example Victorian, Colonial, Federation or Edwardian etc are not considered to be contemporary Australian architectural character and therefore are not permitted.

RECOMMENDATIONS

• Take time to consider the design of your facade to ensure it positively contributes to the streetscape.



4.2 Roof Form

DESIGN INTENT

Roofs are a major element to your house design and they have a critical role in providing visual amenity to a street.

DESIGN STANDARDS	
4.2.1	Home's must provide a varied roof form that is simple in style and integrated with the overall building design.
4.2.2	The roof form of the garage must be complementary to the house roof.
4.2.3	A minimum 450mm eaves are required. Eaves to a single story dwelling should return and continue a minimum distance of three meters along the connecting return wall and or walls from the frontage. Eaves are not required to a wall on the boundary. Eaves to a double story dwelling must continue around the entire perimeter of the second level.

RECOMMENDATIONS

- The darker the roof, the more heat it absorbs. Choosing a white roof or pale colour maximises the solar reflectance, which in turn reduces the amount of heat transferred to the building below.
- Wolfdene recommends using roofing material Colorbond Coolmax Steel Whitehaven® with high solar reflectance. Nominal Solar Reflectance1 = 0.77. Solar Reflectance Index (SRI)1 = 95. A nominal solar reflectance of 0.77 means it reflects 77% of the sun's heat, which may help to reduce roofing temperatures and keep the building cooler.
- By consuming and constructing an energy efficient home you can dramatically reduce the amount of energy consumed.










4.3 External Materials, Finishes & Colour Palettes

DESIGN INTENT

Ensure that homes within the neighbourhood achieve a consistency in the materials and colours used to create a complementary interface to the streetscape.

DESIG	SN STANDARDS
4.3.1	 Your facade design must include either: 100% render with a minimum two tone colour palette; or No less than 50% render with a minimum of two additional external building materials.
4.3.2	The materials and colours that have been used on the primary facade of your home, must extend to the side elevation for a minimum of 1.5m.
4.3.3	Gutters, fascias and downpipes must be consistent with or complementary to the colour scheme of the dwelling.
4.3.4	 Roof material must be non-reflective and must be made of one of the following materials: Matte finished powder coated metal roofing or similar; or Matte finished low profile or slim-line terracotta or concrete tiles.
4.3.5	Doors, window frames and any other cladding materials must also be consistent with or complementary to the colour scheme of the dwelling.
4.3.6	The colour palette that you select for your home must be consistent with the palette provided within this Design Handbook.



NOTE:

As part of the design approval process all exterior colours must be submitted with the application. The decision to approve or not approve a colour schedule is solely the decision of the Wolfdene Design Review Committee.

Roof, render and brick colours must be consistent with those shown in the colour palettes. Red and golden bricks will not be allowed.

All external colours to your home must be of a contemporary colour and style. Feature render colours used as an accent only may vary from the colour palette. Approval will be granted at the discretion of the Wolfdene Design Review Committee.

RECOMMENDATIONS

- Materials and products for your home should be sourced locally;
- The change of materials should be located where downpipes or other accepted treatments cover the joint;
- Homeowners and builders are encouraged to incorporate recycled or reused materials into the construction of your home; and
- Low emission materials should be used during the construction of your home.




COLOUR PALETTE

With the Royal Botanic Gardens Victoria (Cranbourne) (RBGV) nearby, the colour palette for Brompton has taken inspiration from the local distinctive landscape of the gardens to ensure your home enhances and complements its natural setting.

At the RBGV, the Australian flora, art and architecture, exhibition gardens and the bushland, all highlight the beauty and diversity of our Australian landscape and the native landscape of Brompton and the City of Casey.

All external colours to your home must be of a contemporary colour and style, in natural earthy tones that are harmonious to the natural landscape.

Alternative colours that complement this colour palette may be considered by the Wolfdene Design Review Committee.











4.4 Entry

DESIGN INTENT

Entry features enhance the facade of your home and define the entrance from the street.

DESIGN STANDARDS	
4.4.1	Dwellings must provide an entry clearly legible from the street.
4.4.2	Entry features such as porches and veranda's must be incorporated in the design of your home.
4.4.3	Where used, portico structures must appear as an extension of the dwelling.



RECOMMENDATIONS

- Use designs that are contemporary in nature that complement the style of your home; and
- The entry feature should be scaled in proportion to the rest of the dwelling.



4.5 Garage

DESIGN INTENT

Garages are important features for both the home and street as the provide security and storage areas for the homeowner whilst reducing the amount of vehicles visible from the streetscape.

DESIGN STANDARDS	
4.5.1	Lock up vehicle accommodation in the form of an enclosed garage must be provided.
4.5.2	Garages must be setback a minimum of 0.84m behind the dwelling.
4.5.3	Garages must not be greater than 40% of the total lot frontage and/or 6m in width, whichever is lesser. The garage opening must not exceed 30% of the area of the front façade if the building is two or more storeys and on a lot with an area less than 300 square metres. This area of the front façade must be measured from a two-dimensional elevation plan of the façade, excluding the area of the roof of the dwelling.
4.5.4	Garage doors must be panel lift, sectional or a similar contemporary style. Roller doors will not be permitted.






RECOMMENDATIONS

 Additional storage space should be provided within the garage to minimise the need for additional outbuildings.

Brompton Design Handbook



5 DESIGN ELEMENTS CORNER LOTS



5.0 Corner Lots

5.1 Corner Lot Treatment

DESIGN INTENT

It is important that corner lots address their prominent position in the streetscape while contributing to the creation of an attractive and safe living environment. It is essential that the home addresses both street frontages.

DESIGN STANDARDS	
5.1.1	The secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade.
5.1.2	The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m meters of the secondary facade.
5.1.3	The secondary facade must include as a minimum one visible habitable room window, replicated materials and articulation.
5.1.4	Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear.
5.1.5	The facade and entrance to the home must face the primary street frontage.
5.1.6	External services should not be visible from either street frontage.

NOTE:

It will be at the discretion of the Wolfdene Design Review Committee to determine acceptable corner treatment for each corner lot submission.

A habitable room window must be full height in size and provide a clear view to the secondary street frontage.

For corner lots, the above mentioned externally mounted units (not including solar panels) must not be mounted on the secondary street frontage side.

Please refer to section 6.4 External Structures and Services for further details regarding external services.

RECOMMENDATIONS

• Consider two story buildings on corner lots to provide scale to anchor the street corner.






5.2 Corner Fencing

DESIGN INTENT

Corner lot fencing should be constructed to complement the secondary street frontage and display the corner treatment.

CORNER LOT FENCE	
5.2.1	Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home.
5.2.2	Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum.
5.2.3	The design of side fencing on a corner lot requires the approval of Wolfdene Design Review Committee.

Brompton Design Handbook



G DESIGN ELEMENTS LANDSCAPE





6.0 Landscape

6.1 Driveway

DESIGN INTENT

The appearance of your driveway should complement your home and integrate with the house design. Driveways should not dominate the streetscape.

DESIG	GN STANDARDS
6.1.1	Driveways must not dominate the streetscape.
6.1.2	Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping.
6.1.3	Driveways must be constructed of exposed aggregate and muted in tone/colour. Any variation in materials must be approved by Wolfdene Design Review Committee. Plain concrete will not be permitted.
6.1.4	Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy.

RECOMMENDATIONS

- Explore the use of permeable materials, such as porous paving, to introduce an additional texture to your front landscape, whilst reducing stormwater runoff; and
- Consider front landscaping irrigation requirements prior to the construction of your driveway.





6.2 Letterbox

DESIGN INTENT

Ensure the form and style of the letter-box complements the design of the dwelling.

DESIGN STANDARDS	
6.2.1	Letterboxes must complement your home in colour, design and material.
6.2.2	Single post/ornamental or temporary letterboxes are not permitted.
6.2.3	Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.
6.2.4	Letterboxes must be installed prior to a Certificate of Occupancy being obtained.



Brompton Design Handbook [31]



6.3 Fencing

DESIGN INTENT

Fencing can play a key role in the overall appearance of your home from the street. It should be a secondary element to the home.

DESIGN STANDARDS	
FRONT FENCE	
6.3.1	No front fencing is permitted on conventional lots.
SIDE 8	REAR FENCE
6.3.2	Must be 1.8m in height and constructed of timber palings, with capping and exposed posts to both sides (as a minimum.) Side fences must be setback a minimum of 1.0m behind the primary building facade.
6.3.3	No side fence will be permitted in front of the primary building facade.
WING	FENCE
6.3.4	Wing fencing must be constructed from horizontal timber slats or similar, to a height of 1.8m. Any variation in materials must be approved by Wolfdene Design Review Committee.
PERIM	IETER FENCE
6.3.5	All perimeter fencing must be completed within 30 days of receiving your Certificate of Occupancy.

NOTE:

Applicable to all fencing, any variation in materials must be approved by Wolfdene Design Review Committee.

Front fencing may be permitted for integrated housing sites.

RECOMMENDATIONS

• Landscaping or hedges can be planted to clearly define your front yard.



6.4 External Structures & Services

DESIGN INTENT

The location of services should be incorporated into the design of your home to ensure that they are screened from public view, avoiding a negative visual impact on the street.

DESIGN STANDARDS		
ADDITIONAL BUILDINGS		
6.4.1	Sheds, if necessary, will be permitted where they are screened from public view. A maximum floor area of $20m^2$ is permitted, unless sufficient justification can be made to Wolfdene Design Review Committee, in which case sheds will be assessed on their merits.	
6.4.2	Shed height must not exceed 2.4m at the perimeter, and 3.0m at the ridge-line of the roof.	
6.4.3	Sheds must be constructed of an appropriate, non-reflective material. Materials used should be consistent with those of dwelling.	
6.4.4	Any proposed pergolas, decks or other extensions must be submitted to Wolfdene Design Review Committee for approval.	
6.4.5	Carports may be permitted if located out of public view.	

NOTE:

For corner lots, the above mentioned externally mounted units (not including solar panels) must not be mounted on the secondary street frontage side.

Please refer to the Plan of Subdivision for other restrictions for your property.

DESIGN STANDARDS		
SERVICES		
6.4.6	Air conditioners are to be located below the eaves line and screened from public view.	
6.4.7	Evaporative cooling units must be colour matched to the roof, must not be visible from the street and the highest point of the unit must not exceed the peak ridge of the roof of the dwelling.	
6.4.8	Satellite dishes and antennas must be positioned so they are not visible from the street.	
6.4.9	Solar panels should be located out of public view. In the case that the most efficient position is within public view, solar panels will be assessed by Wolfdene Design Review Committee in regards to form and scale.	
6.4.10	Provisions must be made for the storage of rubbish and recycling bins in areas that are accessible but not within public view.	
6.4.11	Clotheslines must be located out of public view.	
6.4.12	Hot water units, ducted heating units and similar services must also be screened or out of public view.	
6.4.13	This neighbourhood is to be NBNCo. Fibre optic network ready. Your home will need to be fitted with the correct telecommunication and internet services.	
6.4.14	This neighbourhood will be constructed with the provision of a purple pipe network for future connection to recycled water. Your home will need to fitted with the correct connections for this service.	

NOTE:

The above mentioned NBN and recycled water services are subject to government and servicing authority approvals.

Brompton Design Handbook [33]



6.5 Site Management & Maintenance

DESIGN INTENT

To ensure all allotments within the development are maintained in line with the intended quality of built form and the overall vision for the community.

DESIG	SN STANDARDS		
	VEHICLES		
6.5.1	Trucks or commercial vehicles (greater than 1 tonne), recreational vehicles (e.g. boats and caravans) shall be out of public view when parked or stored.		
MAINT	MAINTENANCE		
6.5.2	The Purchaser shall not allow any rubbish including site excavations and building materials to accumulate on a lot unless the rubbish is neatly stored in a suitably sized industrial bin or skip (in lieu of a cage).		
6.5.3	The purchaser must not allow excessive growth of grass or weeds upon the lots.		
6.5.4	Bins must be removed from the street on the same day as the scheduled collection day.		
6.5.5	Internal window furnishings which can be viewed from the street must be installed within three months of receiving your Certificate of Occupancy.		
SIGNS	& ADVERTISING		
6.5.6	No advertising signs including 'For Sale' or 'For Lease' signs may be erected by the Purchaser at any time.		
6.5.7	Builder's signs may be permitted (600mm ² maximum) during construction only and must be removed on completion of building works or may remain with the Developer's written permission.		
6.5.8	No signs shall be erected on vacant lots.		
6.5.9	Advertising signs are not permitted.		

NOTE:

If the Purchaser does not comply within 14 days of receiving a written notice then the Purchaser shall be liable to reimburse the Developer of all costs, including administration costs incurred in the removal of such materials.

The above signage and advertising restrictions do not apply to the developer who may erect signage as appropriate.



6.6 Front Landscaping

DESIGN INTENT

A key feature of your neighbourhood will be the quality of landscaped parks, gardens and streetscapes. Appropriate front garden design and plant selection contribute to the overall neighbourhood character.

DESIGN	N STANDARDS	
6.6.1	Your garden must include indigenous plant species and 70% (or more) of plants must be drought tolerant (see following plant list for preferred tree and plant species).	
6.6.2	Front landscaping must be completed within 30 days of receiving your Certificate of Occupancy.	
6.6.3	At least 50% of front landscaping (excluding driveways and paths) must be of a permeable surface using materials such as pebbles, sand, mulch and/or bark.	
6.6.4	Any retaining walls within public view are limited to a height of 0.5m and must be constructed using materials such as tiles or timber that will enhance the landscaping theme.	
FRONT LANDSCAPING MINIMUM REQUIREMENTS		
6.6.5	1 x semi-advanced tree 1.5m height at installation.	
6.6.6	1 x large shrub from a 300mm pot size at installation.	
6.6.6		
	installation.	
6.6.7	installation. 5 x medium shrubs from a 200mm pot size. 10 x small shrubs / tall tussocks from a 150mm	
6.6.7	 installation. 5 x medium shrubs from a 200mm pot size. 10 x small shrubs / tall tussocks from a 150mm pot size. 10 x ground cover plants / small tussocks plants 	
6.6.7 6.6.8 6.6.9	installation. 5 x medium shrubs from a 200mm pot size. 10 x small shrubs / tall tussocks from a 150mm pot size. 10 x ground cover plants / small tussocks plants from 85mm pot size at installation. Where grass is used, a 'warm season' grass	

NOTE:

A Landscaping Plan must be submitted as part of your home design application.

Regular inspections will be undertaken to ensure that landscaping has been completed within the required time. Should your landscaping not be completed within the specified time, action may be taken to have this requirement met at the owners cost.

Front landscaping must be maintained to an acceptable level at all times including your front nature strip. This will also be monitored by regular inspections.

RECOMMENDATIONS

- Choose a garden which will most suit your lifestyle.
 Consider the level of care and maintenance you would like to contribute to the garden and how you will use this space;
- Consider paths and access requirements in the design of your front landscape;
- Front landscaping is encouraged to be environmentally sensitive by utilising appropriate drought tolerant plants, organic mineral mulches and drip irrigation systems; and
- Fruit bearing trees are encouraged in your landscape.



6.6 Front Landscaping (continued)

The following pages outline a selection of mulches, trees, plants, tussocks and ground covers that have been chosen to complement the streets and parks of your neighbourhood. These are the preferred varieties that are to be used in your front garden landscaping.

MULCHES:

Applying a 75mm 9or more) mulch layer to a garden bed helps minimise weeds and reduces water usage by minimising evaporation. Natural coloured mulches will be accepted. Red coloured mulches will not be approved.




PEBBLES. ROCKS AND STONES:

Pebbles, rocks and stones are an alternative to lawn and can be used to highlight different landscaped areas. Sand and stones can be used as a feature or path and are a good alternative to hard impervious surfaces such as concrete.

Materials such as red rock / scoria will not be accepted. Natural coloured materials are encouraged.

TREES			-
Botanical Name	Common Name	Н	W
Acer Palmatum	Japanese Maple	6m	6m
Agonis Flexuosa 'After Dark'	Willow Myrtle	10m	5m
Banksia Integrifolia	Coast Banksia	6-10m	4-6m
Callistemon Viminalis	Weeping Bottlebrush	6m	4m
Citrus Limon 'Lisbon'	Lisbon Lemon	6m	5m
Eucalyptus Caesia 'Silver Princess'	Gungurru	3-6m	3-5m
Eucalyptus Leucoxylon 'Eukie Dwarf'	Dwarf Yellow Gum	6m	6m
Hymenosporum Flavum	Native Frangipani	10m	6m
Magnolia 'Little Gem'	Little Gem Magnolia	3-4m	3m
Melia Azedarach	White Cedar	6-13m	5-13m
Michelia Doltsopa	Michelia	12m	4m
Olea Europaea	Olive	6m	6m
Prunus Cerasifera Nigra	Purple Flowering Plum	6m	4m
Tristaniopsis Laurina	Kanooka	6m	4m
Acer truncatum	Shantung Maple	7-9m	6m
Pistacia Chinesis	Chinese Pistachio	8-10m	7-9m



|37|

LARGE SHRUBS	_		
Botanical Name	Common Name	Н	W
Correa Alba	White Correa	1.5-1.8m	1-2.2m
Fortunella Japonica 'Marumi'	Kumquat	2-3m	1.5- 2.5m
Grevillea 'Moonlight'	Moonlight Grevillea	3-4m	3m
Kunzea Ambigua	Tick Bush	1.5-3m	2m
Leucadendron 'Safari Sunset'	Hybrid Leucadendron	1.8m	1.8m
Luma Apiculata	Temu	2-3m	2m
Pittosporum Tenuifolium 'Green Pillar'	Green Pillar Pittosporum	6m	4m
Rosemarinus Officinalis 'Blue Lagoon'	Blue Lagoon Rosemary	1.5m	1.5m
Viburnum x Burkwoodii	Burkwood's Viburnum	2m	1.5m
Westringia Fruticosa	Coast Rosemary	1.2m	1.5- 2.5m



SMALL SHRUBS			
Acacia Cognata 'Limelight'	Limelight Bower Wattle	0.5m	1m
Agave Attenuata	Century Plant	1m	0.8m
Banksia Spinulosa 'Birthday Candles'	Birthday Candles Banksia	0.2-0.5m	0.5- 1m
Chorizema Cordatum	Flame Pea	0.5-1m	1-2m
Dillwynia Sericea	Showy Parrot Pea	1m	1m
Euphorbia Griffithii 'Fireglow'	Milkweed	06-0.9m	0.9m
Gastrolobium (Brachysema) Sericeum	F	0.5m	1m
Kniphofia 'Winter Cheer'	Red Hot Poker	1m	0.5m
Lavandula Angustifolia 'Hidcote'	Hidcote Lavender	0.6m	0.75m
Nandina Domestica 'Gulf Stream'	Gulf Stream Nandina	0.5m	0.5m
Philotheca 'Flower Girl'	Long Leaf Wax Flower	1m	1m
Pimelea Ferruginea 'Bonne Petite'	Pink Rice Flower	1m	1m
Raphiolepsis 'Apple Blossom'	Apple Blossom Raphiolepsis	1m	1m
Santolina Chamaecyparissus	Cotton Lavender	1m	1m
Strelitzia Reginae	Bird of Paradise	1m	0.75m
Xanthorrhoea Australis	Austral Grass Tree	0.3-2m	0.6- 1m



Bird of Paradise

Brompton Design Handbook

Austral Grass Tree

TUSSOCKS AND TUFTING PLANTS				
Botanical Name	Common Name	Н	W	
Anigozanthos 'Regal Velvet'	Regal Velvet Kangaroo Paw	0.5-1.4m	05-1m	
Dianella 'Tas Red'	Tas Red Dianella	0.4m	0.4m	
Lomandra Confertifolia 'Seascape'	Seascape Dwarf Matt Rush	0.5m	0.75m	
Lomandra Longifolia 'Tanika'	Tanika	0.5-0.6m	0.65m	
Microlaena Stipoides	Weeping Grass	0.3-0.7m	0.3m	
Pennisetum Alopecuroides 'Nafray'	Nafray Fountain Grass	0.8-0.9m	0.8m	



GROUND COVERS				
Botanical Name	Common Name	Н	W	
Dicondra Repens	Kidney Weed	0.1m	0.5-1m	
Echevaria Secunda var. glauca	Hen and Chickens	0.04- 0.05m	0.3m	
Felicia Angustifolia	Lilac Felicia	0.3m	Prostrate	
Grevillea x Gaudichaudii	-	0.15- 0.3m	2-3m	
Juniperus Conferta 'Blue Pacific'	Shore Juniper	0.3-0.5m	1.8-2.4m	
Kennedia Prostrata	Running Postman	1.5m	Prostrate	
Myoporum Parvifolium 'Broad Leaf Form'	Creeping Boobialla	0.2m	1 - 4m	
Ophiopogon Japonicus	Mondo Grass	0.15- 0.3m	0.3m	
Rosmarinus Officinalis 'Prostratus'	Prostrate Rosemary	1.5m	1.5m	
Stachys Lanata	Lamb's Ears	0.2-0.3m	0.3-0.4m	
Trachelospermum Jasminoides	Star Jasmine	0.5m	1.2-1.5m	





7.0 Design Assessment Submission

The Wolfdene Design Review Committee (WDRC) may request the applicant to provide fully compliant and authority approved overshadowing and overlooking diagrams for double storey dwellings as part of their submission requirements.

Applications to the WDRC will only be reviewed if all the requirements have been submitted. Approval will not be granted on part application. If any design changes are made after the WDRC approval, all documentation must be resubmitted for approval. Only a fully scaled set of application documents will be considered upon final submission to WDRC.

The decision to approve or not approve an application is solely the decision of the WRDC.

The WDRC will endeavor to assess proposals within 14 days of receipt of a fully compliant application.

In order to make the approval process as efficient as possible for applicants, WDRC only accepts submissions via email.

Please complete and submit the Design Assessment Checklist, Application Form (see following page) and relevant documents to:

design@wolfdene.com.au

Documents must be submitted in pdf format, with the maximum size limit per email being 10MB. You must name the subject of your email appropriately, including the lot number and street name.



DESIGN ASSESSMENT APPLICATION FORM

PROPE	ERTY DETAILS	
Lot Nu	mber: Address:	
Builde	r:	
Home	Design Name:	
Facade	e Name:	
OWNE	RS DETAILS	
Name(s):	
Addres	SS:	
Mobile		Email:
	ERS DETAILS	
Name(
Busine		
Mobile		Email:
	HMENTS SITE PLAN(S) (MIN. SCALE 1:200)	Must indicate all boundary setback dimensions, building envelopes, total site coverage and floor areas, north point, vehicle crossover, driveway, fencing details, any proposed outbuildings and/or retaining walls.
	FLOORPLAN (MIN. SCALE 1:100)	Must indicate key dimensions, window positions and roof plan.
0	ELEVATIONS (MIN. SCALE 1:100)	Must include all 4 elevations and indicate building heights, finished floor to ceiling levels, roof pitch, eaves depth, external finishes, location of external services, existing ground levels and any excavation, fill and proposed finished ground levels. (Alternatively, some of the above information can be indicated on a cross section at a minimum scale of 1:100). Note: Plans & elevations must also be submitted for any proposed decking, pergolas, patios, carports, sheds, swimming pools, BBQ areas or similar.
0	SCHEDULE OF MATERIALS & FINISHES	Must indicate the all proposed materials and finishes for the dwelling, letterbox & driveway and include brands, colour names and colour swatches. Must also include all internal taps and fixtures, dishwasher and air-conditioning ratings.
	LANDSCAPE PLAN	Must include nominated quantity and plant species.
	DESIGN ASSESSMENT CHECKLIST	
	ENERGY RATING ASSESSMENT	
SIGNA	TURE OF HOMEOWNER	
	lieve that the submission documents comply g Codes and governing authority/Council requ	with the Brompton Design Handbook and covenants, as well as all relevant irrements
Signat	ure:	Date:





DESIGN ASSESSMENT CHECKLIST
Please tick Acknowledge Standard (not applicable to property) or Achieves Standard (when applicable to property). Please tick one box only.

REF.	DESIGN STANDARD	ACKNOWLEDGE STANDARD	ACHIEVES STANDARD
DESIGN	ELEMENT - ENERGY + SUSTAINABILITY		
2.1 SITE (DRIENTATION + VENTILATION		
2.1.1	Orientate your home to capture prevailing breezes and utilise potential cross ventilation and passive cooling in the summer months. Demonstrate this on your plans.		
2.1.2	Orientate your home to provide best solar access. Demonstrate this on your plans.		
2.2 ENER	GY + MATERIAL EFFICIENCY		
2.2.1	Your home must achieve a minimum 6 star energy efficiency rating as legislated by the Building Code of Australia.		
2.2.2	You must install a solar generated hot water system (gas or electric boosted), or a heat pump.		
2.2.3	Water efficient fixtures must be installed in your home. At a minimum, this must include: • shower-heads that use ≤6 litres per minute; • taps to bathrooms, kitchen and laundry that use ≤6 litres per minute; and • dishwashers (where installed) to have a water consumption of ≤14 litres per use.		0
2.2.4	All appliances must be energy efficient. This should include at a minimum: • dishwashers with an energy consumption of ≤245kWh per annum; and • air conditioning systems with a COP* of ≥3.20 and EER** of ≥3.00.	_	0
2.2.5	Thorough use of draught seals are to be used throughout your home in order to draught-proof and reduce energy consumption.		
2.3 HEAL	THY HOMES		
2.3.1	Your home must include at least two of the following options - please tick the two options you have selected and ensure you include details within your product/material schedule. • Low emission paints are to be ≥95% of internal and external painted surfaces; • Use low emission sealants on ≥95% of internal and external surfaces; • Use low emission adhesives on ≥95% of internal and external surfaces; and/or • Use low emission floor coverings on ≥95% indoor covered floors.	0000	
DESIGN	ELEMENT - SITE PLANNING		
3.1 SETB	ACKS		
3.1.1	Ensure that your secluded private open space meets the space and location requirements according to Clause 54 of the Victorian Planning Provisions.		
FRONT S	ETBACK		
3.1.2	A minimum of 4.0m (unless otherwise approved by Council) and a maximum of 5.5m from the street.		
3.1.3	Porches, verandahs and porticos less than 3.6m in height above natural ground level can encroach into the minimum front setback by up to 2.5m.		
SIDE SET	BACK		
3.1.4	All side setbacks must comply with Clause 54 of the Victorian Planning Provisions and as indicated on the building envelope plans.		
WALL ON	BOUNDARY		
3.1.5	Homes and garages may be built on the boundary in compliance with Clause 54 of the Victorian Planning Provisions and as indicated on the building envelope plans.		
REAR SE	TBACK		
3.1.6	A minimum of 1.0m from the rear boundary unless indicated otherwise on the building envelope plans.		
GARAGE	SETBACK		
3.1.7	Garages must be setback at least 5.5m from primary property boundary and additionally, a minimum of 0.84m behind the front building line.		



REF.	DESIGN STANDARD	ACKNOWLEDGE STANDARD	ACHIEVES STANDARD
3.2 SITE (COVERAGE		
3.2.1	Total site coverage must not exceed 60%.		
3.2.2	Dwellings on lots 300-450m² must have a minimum floor area of 100m².		
3.2.3	Dwellings on lots 451-600m² must have a minimum floor area of 140m².		
3.2.4	Dwellings on lots exceeding 601m² must have a minimum floor area of 165m².		
3.2.5	Impervious materials must not cover more than 80% of the lot.		
3.2.6	All dwelling heights must comply with the requirements of Clause 54 of the Victorian Planning Scheme as well as any other governing authority requirements.		
DESIGN	ELEMENT - HOME DESIGN		
4.1 FACA	DE		
4.1.1	To avoid repetition within the streetscape, homes with similar facades are not to be built within three lots of each other (applicable for both sides of the street). WDRC will assess each submission against any existing or recently approved homes.		
4.1.2	Homes must be designed to address the street and provide windows to habitable rooms that overlook the street.		
4.1.3	Your home must be contemporary in style and must not include external period decorative elements or features.		
4.1.4	Meter boxes must not be located on front facade.		
4.1.5	External windows and doors must not contain lead light or stained glass features.		
4.1.6	Security doors are permitted but must be a plain mesh screen.		
4.1.7	Roller shutters will not be permitted to windows.		
4.1.8	The materials, colours and finish of your facade, door and window frames must adhere with all requirements of section 3.3 of this Design Handbook.		
4.2 ROOF	FORM		
4.2.1	Home's must provide a varied roof form that is simple in style and integrated with the overall building design.		
4.2.2	The roof form of the garage must be complementary to the house roof.		
4.2.3	A minimum 450mm eaves are required.		
4.3 EXTER	RNAL MATERIALS, FINISHES & COLOUR PALETTES		
4.3.1	 Your facade design must include either: 100% render with a minimum two tone colour palette; or No less than 50% render with a minimum of two additional external building materials. 		0
4.3.2	The materials and colours that have been used on the primary facade of your home, must extend to the side elevation for a minimum of 1.5m.		
4.3.3	Gutters, fascias and downpipes must be consistent with or complementary to the colour scheme of the dwelling.		
4.3.4	Roof material must be non-reflective and must be made of one of the following materials: • Matte finished powder coated metal roofing or similar; or • Matte finished low profile or slim-line terracotta or concrete tiles.		_
4.3.5	Doors, window frames and any other cladding materials must also be consistent with or complementary to the colour scheme of the dwelling.		
4.3.6	The colour palette that you select for your home must be consistent with the palette provided within this Design Handbook.		



4.4.1 Develtings must provide an entry clearly legible from the street. 4.4.2 Entry features such as porches and veranda's must be incorporated in the design of your home. 4.4.3 Where used, portice structures must appear as an extension of the develting. 4.5.1 Lock up vehicle accommodation in the form of an enclosed garage must be provided. 4.5.2 Garages must be obtack on minimum of 0,84m behind the dwelling. Garages must not be greater than 40% of the total Lot frontage and/or 6m in width, whichever is lesser, or exceed 30% if the building is two or more storeys and on a lot with an area less than 300m. 4.5.2 Garage doors must be panel lift, sectional or a similar contemporary style. Roller doors will not be parmitted. 4.5.3 Designed borrs must be panel lift, sectional or a similar contemporary style. Roller doors will not be parmitted. 5.1 ORINITE LOTS 5.1 DESIGN ELEMENT - CORNER LOTS 5.1.2 Responsible to the primary facade. 5.1.3 The secondary facade must replicate the materials, window treatments, embellishments and colour scheduling and the primary facade must extend to the side elevation for a minimum flour material of the secondary lacade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum flour material of the secondary lacade. 5.1.3 The secondary facade must include as an minimum one visible habitable room window, replicated motorials and articulation. 5.1.4 Instrume 450mm eases to the develling must continue for the entire length of the secondary street mortage. 5.1.5 External services should not be visible from either street frontage. 5.2 CORNER FENON B 5.2 Designed for the secondary street boundary must be setback a minimum of 3m behind the front building line if your home. 5.2 Must be constructed of 1.5m timber palings, with capping and exposed posts to both sides as a minimum. 5.3 The design of side fencing on a corner lot requires the approval of WIRC. 6.1 Driveways must be constructed on the front boundary	REF.	DESIGN STANDARD	ACKNOWLEDGE STANDARD	ACHIEVES STANDARD
A4.2 Entry leatures such as parches and versarda's must be incorporated in the design of your home.	4.4 ENTR	Y		
4.4.3 Where used, particle structures must appear as an extension of the dwelling. 4.5.1 Lock up whicle accommodation in the form of an enclosed garage must be provided. 4.5.2 Garages must be setback a minimum of 0.84m behind the dwelting. Garages must not be greater than 40% of the total lot frontage and/or 6m in width, whichever is teach, or exceed 30% if the building is two or more storeys and on a lot with an area less than 300m2. 4.5.3 Garage doors must be panel tift, sectional or a similar contemporary style. Roller doors will not be permitted. 6.5.1 Garage doors must be panel tift, sectional or a similar contemporary style. Roller doors will not be permitted. 6.5.1.1 She secondary facade must replicate the materials, window treatments, embell ishments and colour scheme of the primary facade contemporary style. The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade must extend to the side elevation for a minimum 4m four minimum to the secondary facade must include as a minimum or existly habitable room window, replicated minimum 45m earlier and and ericulation. 5.1.1 Fine facade and entrance to the home must face the primary street frontage. 5.1.2 Formula services should not be visible from either street frontage. 5.2 Contexts resolutes 5.2.1 Fortions to the secondary street boundary must be setback or minimum of 3m behind the front building line of your home. 6.2.2 Fine face of the secondary street boundary must be setback or minimum of 3m behind the front building line of your home. 6.1.1 Dreways must not dominate the streetscape. 6.1.2 Dreways must b	4.4.1	Dwellings must provide an entry clearly legible from the street.		
4.5.1 Lock up whicle accommodation in the form of an enclosed garage must be provided. 4.5.2 Garages must be setback a minimum of 0.84m behind the dwelling. Garage must not be greater than 40% of the total Lot frontage and/or 6m in width, whichever is losser, or exceed 30% if the building is two or more storeys and on a lot with an area less than 30m-2. 4.5.4 permitted. 6.5.10 Garage doors must be panel lift, sectional or a similar contemporary style. Roller doors will not be permitted. 6.5.10 The secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade must exceed the materials, window treatments, embellishments and colour scheme of the primary facade must exceed the secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade must extend to the side elevation for a minimum 4m flour meters of the secondary facade. 5.1.2 The materials and articulation. 5.1.4 Minimum 45mm caves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2.1 External services should not be visible from either street frontage. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.2 The design of side fending on a corner tot requires the approval of WDRC. 6.1.1 Diveways must not dominate the streetscape. 6.1.2 Diveways must be constructed of concrete with exposed aggregate. 6.1.3 Diveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.4 Diveways must be constructed of concrete with exposed aggregate. 6.2.2 Letterboxes must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.2.3 Letterboxes must be setback or temporary letterboxes are not p	4.4.2	Entry features such as porches and veranda's must be incorporated in the design of your home.		
4.5.1 Lock up vehicle accommodation in the form of an enclosed garage must be provided. 4.5.2 Garages must be selback a minimum of 0.84m behind the dwelling. 4.5.3 lesser, or exceed 30% if the building is two or more storeys and on a lot with an area less than 300m2. 4.5.4 Garage doors must be panel lift, sectional or a similar contemporary style. Roller doors will not be permitted. DESIGN ELEMENT - CORNER LOTS 1.1 Scheme of the primary facade. 5.1.2 The secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum /m flour meters of the secondary facade. 5.1.3 materials and articulation. 5.1.4 The secondary facade must include as a minimum one visible habitable room window, replicated elevation for a minimum flour meters of the secondary facade. 5.1.4 Minimum 450mm coves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum Imaliang the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.1.7 The facade and entrance to the home must face the primary street frontage. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.1 building line of your home. 5.2.2 The design of side fencing on a corner lot requires the approval of WDRC. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. 5.2.1 Diveways must be constructed of concrete with exposed aggregate. 6.1.1 Driveways must be constructed of concrete with exposed aggregate. 6.1.2 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.2 Single post/ ornamental or temporary letterboses are not permitted. 6.2.3 Letterboxes must be constructed on the front				
4.5.2 Garages must be setback a minimum of 0.84m behind the dwelling. Garages must not be greater than 40% of the total lot frontage and/or 6m in width, whichever is leaser, or acceed 30% if the huilding is two or more storays and on a lot with an area leas than 300m? 4.5.3 Sidm? Garage doors must be panel lift, sectional or a similar contemporary style. Roller doors will not be permitted. DESIGN ELEMENT - CORNER LOTS 5.1 Corner Lots 5.1.1 The secondary facade must replace to the materials, window treatments, embeltishments and colour scheme of the primary facade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum four meters of the secondary facade. 5.1.3 materials and articulation. 5.1.4 Information of the primary facade must replace to the secondary facade. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from ember face the primary street frontage. 5.1.7 The facade and entrance to the home must face the primary street frontage. 5.1.8 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber polings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 Driveways must be estback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.1 Driveways must be constructed of concrete with exposed aggregate. 6.1.2 Driveways must be constructed of concrete with exposed aggregate. 6.2.1 Driveways must be constructed of concrete with exposed aggregate. 6.2.2 Single post/ ornamental or temporary laterboxes are not permitted. 6.2.3 Letterboxes must be construct	4.5 GARA	GE I		
Garages must not be greater than 40% of the total lot frontage and/or 6m in width, whichever is lesser, or exceed 30% if the building is two or more storeys and on a tot with an area less than 300m2. 4.5.4 Garage doors must be panel lift, sectional or a similar contemporary style. Roller doors will not be permitted. DESIGN ELEMENT - CORNER LOTS 5.1.0 GRINER LOTS 5.1.1 The secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade. The materials and colours that have been used on the primary facade must extend to the side election for a minimum 4m four meters of the secondary facade must extend to the side election for a minimum 4m four meters of the secondary facade must extend to the side election for a minimum 4m four meters of the secondary facade must extend to the side election for a minimum 4m four meters of the secondary facade must extend a dricticulation. 5.1.3 The secondary facade must include as a minimum one visible habitable room window, replicated materials and dricticulation. 5.1.4 Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street materials and criticulation. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2.1 building line of your home. 5.2.2 building line of your home. 5.2.2 building line of your home. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 4.1 BRIVEWAY 6.1.1 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.2 Driveways must be constructed of concrete with exposed aggregate. 6.1.3 Driveways must be constructed or concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Eleterboxes must be constructed on the front boundary adjacent to ei	4.5.1	Lock up vehicle accommodation in the form of an enclosed garage must be provided.	_	
4.5.3 lesser, or exceed 30% if the building is two or more storeys and on a lot with an area less than 300m2. 300m	4.5.2	Garages must be setback a minimum of 0.84m behind the dwelling.		
DESIGN ELEMENT - CORNER LOTS 5.1.1 The secondary facade must replicate the materials, window treatments, embellishments and colour chemo of the primary facade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade. 5.1.3 The secondary facade must include as a minimum one visible habitable room window, replicated materials and articulation. 5.1.4 Minimum 450mm eves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways must be constructed of concrete with exposed aggregate. 6.1.5 Driveways must be constructed of concrete with exposed aggregate. 6.1.6 Driveways must be constructed of concrete with exposed aggregate. 6.1.7 Driveways must be constructed of concrete with exposed aggregate. 6.1.8 Driveways must be constructed of concrete with exposed aggregate. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	4.5.3	lesser, or exceed 30% if the building is two or more storeys and on a lot with an area less than		
5.1.1 The secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade. 5.1.3 The secondary facade must include as a minimum one visible habitable room window, replicated materials and articulation. 5.1.4 Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways must be constructed of concrete with exposed aggregate. 6.1.5 Driveways must be constructed of concrete with exposed aggregate. 6.1.6 Driveways must be constructed of concrete with exposed aggregate. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	4.5.4			
5.1.1 The secondary facade must replicate the materials, window treatments, embellishments and colour scheme of the primary facade. 5.1.2 The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade. 5.1.3 The secondary facade must include as a minimum one visible habitable room window, replicated materials and articulation. 5.1.4 Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1.1 Driveways 6.1.2 Driveways must not dominate the streetscape. 6.1.3 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.4 Driveways must be constructed of concrete with exposed aggregate. 6.1.5 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	DESIGN	ELEMENT - CORNER LOTS		
scheme of the primary facade. The materials and colours that have been used on the primary facade must extend to the side elevation for a minimum 4m four meters of the secondary facade. The secondary facade must include as a minimum one visible habitable room window, replicated materials and articulation. The secondary facade must include as a minimum one visible habitable room window, replicated frontage, returning a minimum 1m along the rear. 5.1.4 Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2 CORNER FENCINO 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber patings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1.1 Driveways 6.1.2 Driveways must not dominate the streetscape. 6.1.3 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1 CORN	ER LOTS		
S.1.2 elevation for a minimum 4m four meters of the secondary facade. S.1.3 The secondary facade must include as a minimum one visible habitable room window, replicated materials and articulation. S.1.4 Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. S.1.5 The facade and entrance to the home must face the primary street frontage. S.1.6 External services should not be visible from either street frontage. S.1.6 External services should not be visible from either street frontage. S.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. S.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. S.2.3 The design of side fencing on a corner lot requires the approval of WDRC. S.2.2 The design of side fencing on a corner lot requires the approval of WDRC. S.2.3 The design of side fencing on a corner lot requires the approval of WDRC. S.2.4 Driveways must not dominate the streetscape. S.2.5 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. S.2.5 Driveways must be constructed of concrete with exposed aggregate. S.2.6 Driveways must be constructed of concrete with exposed aggregate. S.2.6 Driveways must be constructed of concrete with exposed aggregate. S.2.6 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the S.2.6 Certificate of Occupancy. S.2.7 Letterboxes must complement your home in colour, design and material. S.2.8 Single post/ornamental or temporary letterboxes are not permitted. S.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1.1			
materials and articulation. 5.1.4 Minimum 450mm eaves to the dwelling must continue for the entire length of the secondary street frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 DRIVEWAY 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1.2			
5.1.4 frontage, returning a minimum 1m along the rear. 5.1.5 The facade and entrance to the home must face the primary street frontage. 5.1.6 External services should not be visible from either street frontage. 5.2 CORNER FENCING 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber patings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 DRIVEWAY 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1.3			
5.1.6 External services should not be visible from either street frontage. 5.2 CORNER FENCING 5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 DRIVEWAY 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1.4			
5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 DRIVEWAY 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1.5	The facade and entrance to the home must face the primary street frontage.		
5.2.1 Fencing to the secondary street boundary must be setback a minimum of 3m behind the front building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 DRIVEWAY 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Cetterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.1.6	External services should not be visible from either street frontage.		
building line of your home. 5.2.2 Must be constructed of 1.8m timber palings, with capping and exposed posts to both sides as a minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.2 CORN	ER FENCING		
minimum. 5.2.3 The design of side fencing on a corner lot requires the approval of WDRC. DESIGN ELEMENT - LANDSCAPE 6.1 DRIVEWAY 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Cetterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.2.1			
DESIGN ELEMENT - LANDSCAPE 6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.2.2			
6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Cettlerboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	5.2.3	The design of side fencing on a corner lot requires the approval of WDRC.		
6.1.1 Driveways must not dominate the streetscape. 6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	DESIGN	ELEMENT - LANDSCAPE		
6.1.2 Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping. 6.1.3 Driveways must be constructed of concrete with exposed aggregate. Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Cetterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.1 DRIVE	WAY		
6.1.3 Driveways must be constructed of concrete with exposed aggregate. 6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.1.1	Driveways must not dominate the streetscape.		
6.1.4 Driveways and pathways to the entrance of your home must be constructed prior to obtaining the Certificate of Occupancy. 6.2 LETTERBOX 6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.1.2	Driveways must be setback at least 400mm from the nearest side boundary to allow for landscaping.		
6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.1.3	Driveways must be constructed of concrete with exposed aggregate.		
6.2.1 Letterboxes must complement your home in colour, design and material. 6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. 6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.1.4			
6.2.2 Single post/ ornamental or temporary letterboxes are not permitted. Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.2 LETTE	RBOX		
6.2.3 Letterboxes must be constructed on the front boundary adjacent to either the driveway or path with the house number clearly displayed.	6.2.1	Letterboxes must complement your home in colour, design and material.		
the house number clearly displayed.	6.2.2	Single post/ ornamental or temporary letterboxes are not permitted.		
6.2.4 Letterboxes must be installed prior to a Certificate of Occupancy being obtained.	6.2.3			
	6.2.4	Letterboxes must be installed prior to a Certificate of Occupancy being obtained.		



REF.	DESIGN STANDARD	ACKNOWLEDGE STANDARD	ACHIEVES STANDARD
6.3 FENC	CING		
FRONT F	ENCE		
6.3.1	No front fencing is permitted on conventional lots.		
SIDE & R	EAR FENCE		
6.3.2	Must be 1.8m in height and constructed of timber palings, with capping and exposed posts to both sides (as a minimum.) Side fences must be setback a minimum of 1.0m behind the primary building facade.		
6.3.3	No side fence will be permitted in front of the primary building facade.		
WING FE	NCE	_	
6.3.4	Wing fencing must be constructed from horizontal timber slats or similar, to a height of 1.8m. Any variation in materials must be approved by WDRC.		
PERIMET	ER FENCE		
6.3.5	All perimeter fencing must be completed within 30 days of receiving your Certificate of Occupancy.		
	RNAL STRUCTURE & SERVICES		
ADDITIO	NAL BUILDINGS		
6.4.1	Sheds, if necessary, will be permitted where they are screened from public view. A maximum floor area of 20m ² is permitted, unless sufficient justification can be made to WDRC, in which case sheds will be assessed on their merits.		
6.4.2	Shed height must not exceed 2.4m at the perimeter, and 3.0m at the ridgeline of the roof.		
6.4.3	Sheds must be constructed of an appropriate, non-reflective material. It is encouraged that the materials used are consistent with those of dwelling.		
6.4.4	Any proposed pergolas, decks or other extensions must be submitted to WDRC for approval.		
6.4.5	Carports may be permitted if located out of public view.		
SERVICE	S		
6.4.6	Air conditioners are to be located below the eaves line and screened from public view.		
6.4.7	Evaporative cooling units must be colour matched to the roof, must not be visible from the street and the highest point of the unit must not exceed the peak ridge of the roof of the dwelling.		
6.4.8	Satellite dishes and antennas must be positioned so they are not visible from the street.		
6.4.9	Solar panels should be located out of public view. In the case that the most efficient position is within public view, solar panels will be assessed by WDRC in regards to form and scale.		
6.4.10	Provisions must be made for the storage of rubbish and recycling bins in areas that are accessible but not within public view.		
6.4.11	Clotheslines must be located out of public view.		
6.4.12	Hot water units, ducted heating units and similar services must also be screened or out of public view.		
6.4.13	This neighbourhood is to be NBNCo. Fibre optic network ready. Your home will need to be fitted with the correct telecommunication and internet services.		
6.4.14	This neighbourhood will be constructed with the provision of a purple pipe network for future connection to recycled water. Your home will need to fitted with the correct connections for this service.		
5.5 SITE	MANAGEMENT & MAINTENANCE		
HEAVY VE			
6.5.1	Trucks or commercial vehicles (greater than 1 tonne), recreational vehicles (e.g. boats and caravans) shall be out of public view when parked or stored.		
MAINTEN			
6.5.2	The Purchaser shall not allow any rubbish including site excavations and building materials to accumulate on a lot unless the rubbish is neatly stored in a suitably sized industrial bin or skip.		



REF.	DESIGN STANDARD	ACKNOWLEDGE STANDARD	ACHIEVES STANDARD
6.5.3	The purchaser must not allow excessive growth of grass or weeds upon the lots.		
6.5.4	Bins must be removed from the street on the same day as the scheduled collection day.		
6.5.5	Internal window furnishings which can be viewed from the street must be installed within three months of receiving your Certificate of Occupancy.		
SIGNS &	ADVERTISING		
6.5.6	No advertising signs including 'For Sale' or 'For Lease' signs may be erected by the Purchaser at any time.		
6.5.7	Builder's signs may be permitted (600mm ² maximum) during construction only and must be removed on completion of building works or may remain with the Developer's written permission.		
6.5.8	No signs shall be erected on vacant lots.		
6.5.9	Advertising signs are not permitted.		
6.6 FRON	T LANDSCAPING		
6.6.1	Your garden must include indigenous plant species. 70% must be drought tolerant.		
6.6.2	Front landscaping must be completed within 30 days of receiving your Certificate of Occupancy.		
6.6.3	At least 50% of front landscaping (excluding driveways and paths) must be of a permeable surface using materials such as pebbles, sand, mulch and/or bark.		
6.6.4	Any retaining walls within public view are limited to a height of 0.5m and must be constructed using materials such as tiles or timber that will enhance the landscaping theme.		
FRONT L	ANDSCAPING MINIMUM REQUIREMENTS		
6.6.5	1 x semi-advanced tree 1.5m height at installation.		
6.6.6	1 x large shrub from a 300mm pot size at installation.		
6.6.7	5 x medium shrubs from a 200mm pot size.		
6.6.8	10 x small shrubs / tall tussocks from a 150mm pot size.		
6.6.9	10 x ground cover plants / small tussocks plants from 85mm pot size at installation.		
6.6.10	Where grass is used, a 'warm season' grass such as Kykuyu, Buffalo or Couch is selected.		
6.6.11	Where mulch is used it must be natural in colour. Coloured mulch will not be approved.		
6.6.12	Where rocks, stones and pebbles are used, they must be natural in colour.		

Brompton



Disclaimer: While best endeavours have been used to provide information in this publication that is true and accurate, Wolfdene and related entities accept no responsibility and disclaim all liability in respect to any errors or inaccuracies it may contain. Prospective purchasers should make their own inquiries to verify the information contained herein.